



Sample Test Sheet

Indoor Spa

| Date | Time | Initials | Every 4 hours | | | | | | | | | Weekly | | Comments: Manual dosing, backwash, faecal incidents, controller adjustments etc |
|------------------|------|----------|---------------|----------------|----------------|--------------|-----------|---------------|-------------|------------|-----------------|------------------|------------------|---|
| | | | Free Chlorine | Total Chlorine | Controller ORP | Setpoint ORP | Actual pH | Controller pH | Setpoint pH | Pool Temp. | No. Of Swimmers | Total Alkalinity | Calcium Hardness | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| Acceptable Range | | | Min 3 | Max 10 | | | 7.2 - 7.8 | | | 34 - 37 | | 60 - 200 | 60 - 150 | |